



DIVISION OF  
*Johnson & Johnson*  
Vision Care, Inc.

**FILE COPY**

2800

**CONFIDENTIAL**  
**FACSIMILE TRANSMISSION SHEET**

**DATE:** June 25, 2002

**TO:** Commissioner for Patents  
Office of Initial Patent Examination

**FAX:** 703-305-9822

**FROM:** Karen Harding, Patent Attorney

**PHONE:** 904-443-3074  
**FAX #:** 904-443-3078

**Re:** Attached Request For Corrected Filing Receipt  
Application No. 10/029,526  
Our Ref. No. VTN-570

RECEIVED  
JUL -3 2002  
TECHNOLOGY CENTER 2800

The attached Request For Corrected Filing Receipt is submitted to correct the title of the above referenced application. Also enclosed is a copy of the original filing receipt.

**Total Pages Sent: 4 (including this cover sheet)**

Please call Gina Hanning at 443-3500, ext. 25149 if you do not receive all of the pages in this transmission. Thank you.

This facsimile transmission cover sheet and any documents which may accompany it, contains information from Vistakon®, Division of Johnson & Johnson Vision Care, Inc., which is intended only for the use of the individual or entity to which it is addressed, and which may contain information that is privileged, confidential and/or otherwise exempt from disclosure under applicable law. If the reader of this message is not the intended recipient, any disclosure, dissemination, distribution, copying or other use of this communication or its substance is prohibited. If you have received this communication in error, please call us collect to arrange for the destruction of the communication or its return to us at our expense.

Docket No. VTN-570

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re application of: David C. Turner

Application No.: 10/029,526

Group No.: 2873

Filed: December 21, 2001

For: ANTIMICROBIAL LENSES AND METHODS OF THEIR USE

**CERTIFICATION UNDER (37 C.F.R. § 1.8(A))**

I hereby certify that, on the date shown below, this correspondence is being:

**Mailing**

☐ deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to the Assistant Commissioner for Patents, Washington, D.C. 20231.

Date: June 25, 2002

**Facsimile**

☒ transmitted by facsimile to the Patent and Trademark Office.

Signature:

Karen A. Harding

Commissioner for Patents  
Office of Initial Patent Examination  
Customer Service Center  
Washington, D.C. 20231

**REQUEST FOR CORRECTED FILING RECEIPT**

1. Attached is a copy of the official filing receipt received from the PTO in the above application for which issuance of a corrected filing receipt is respectfully requested.

*Note: The PTO will not correct the filing receipt until the application is complete (in other words, the applicant files a response to the notice to file missing parts).*

2. There is an error with respect to the following data, which is:

☒ incorrectly entered

and/or


☐ omitted.

**Error in****Correct data**

1. ☐ Applicant's name
2. ☐ Applicant's address
3. ☒ Title
4. ☐ Filing Date
5. ☐ Application Number
6. ☐ Foreign/PCT Application Re:
7. ☐ Other

- 1.
- 2.
3. ANTIMICROBIAL LENSES AND METHODS OF THEIR USE
- 4.
- 5.
- 6.
- 7.

3. Please charge any fees in connection with this Request to Deposit Account No. 10-0750.

  
Karen A. Harding  
Reg. No. 33,967

Johnson & Johnson  
One Johnson & Johnson Plaza  
New Brunswick, NJ 08933-7003  
Tel: (904) 443-3074  
Date: June 25, 2002  
Customer No. 000027777